



Where the Quality Goes in Before the Name Goes On!

2010-2011 Catalog

All products are proudly made in the USA!!

Serving the diving industry for over 30 years

Products designed for SCUBA divers as well as the following industries:

- *Rebreather / Technical Diving*
- *Search, Rescue and Recovery Agencies*
- *Police and Fire Departments*
- *Military*
- *NASA*

12520 Kirkham Court Suite 1
Poway, CA 92064

Phone: 858.748.9442 ext 1
Fax: 858.679.1632

E-mail: sales@omniswivel.com



Table of Contents

Adapters

Specialty Adapters

- AGA page 3
- Cyklon page 4
- 9mm page 5

NPT Adapters

- 1/8" NPT page 6
- 1/4" NPT Page 7

Standard Adapters

- 3/8"-24 Male Page 8
- 3/8"-24 Female Page 9
- 7/16"-20 Male and Female Page 10
- 1/2"-20 Male and Female Page 11
- 9/16"-18 Male Page 12

Dust Caps Sets Page 13

Elbows (98degree) Page 14

Filter Housings Page 15

Hose Repair Kits Page 16

Manifold Blocks

- High Pressure Page 17
- Low Pressure Page 18

Manual Injection Valve Page 19

O-ring Kits

- 1st stage Pivot Swivels Page 20
- 2nd Stage OmniSwivels Page 20
- 2nd Stage OmniSwivel Repair Kit Page 20
- Gas Switch Block Page 21
- Shut-off Valves Page 21
- Quick Disconnects Page 21

Shut-off Valves Page 22

Check Valves Page 22

Gas Switch Blocks Page 23

Quick Disconnects

- Sets Page 24
- Female Page 25
- Male Page 26

BC Quick Disconnects Page 27

OmniSwivels (2nd stage) Page 28

Pivot Swivels (1st stage)

- High Pressure Page 29
- Low Pressure Page 29

Plugs

- Port Plugs (1st stage) Page 30
- Test Plugs Page 30

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

<u>AGA/Interspiro (Adapters)</u>	
AM-ZF	AGA Male TO 3/8"-24 Female *LP*
AM-ZM	AGA Male TO 3/8"-24 Male *LP*
AM-VM	AGA Male TO 1/8" NPT Male *LP*
AM-UM	AGA Male TO 1/4" NPT Male *LP*
AFI-ZM	AGA Female insert TO 3/8"-24 Male *LP*
AM-YF	AGA Male TO 9/16"-18 Female *LP*
AM-YFI	AGA Male TO 9/16"-18 Female Insert LP*



AM-ZF



AM-ZM



AM-VM



AM-UM



AFI-ZM



AM-YF



AM-YFI

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

Poseidon Cyklon

CM-YFI Cyklon 60 STD Male TO 9/16"-18 Female Insert *LP*

CM-YF Cyklon 60 STD. Male TO 9/16"-18 Female LP*



CM-YFI



CM-YF

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

9mm Male (Adapters)

MEM-ZF 9mm Male O.D TO 3/8"-24 Female *LP*

MEM-YFI 9mm Male TO 9/16"-18 Female Insert *LP*

MEM-YM 9mm Male O.D TO 9/16"-18 Male *LP*



MEM-ZF



MEM-YM



MEM-YFI

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

1/8" NPT (ADAPTERS)

NP-VM-YFI 1/8" NPT, Male TO 9/16"-18 Insert Female *LP*

NP-VM-YM 1/8" NPT, Male TO 9/16"-18 Male *LP*

NP-VF-ZM 1/8" NPT Female TO 3/8"-24 Male *LP*

NP-VF-XM 1/8" NPT Female TO 7/16"-20 Male *LP*



VM-YFI



NP-VM-YM



NP-VF-YM



NP-VF-XM

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

1/4" NPT (ADAPTERS)

NP-UF-ZM 1/4" NPT Female TO 3/8"-24 Male *LP*

NP-UM-ZF 1/4" NPT Male TO 3/8"-24 Female *LP*

NP-UM-XF 1/4" NPT Male TO 7/16"-20 Female *HP*

NP-UM-YM 1/4" NPT Male TO 9/16"-18 Male *LP*

NP-UM-YFI 1/4" NPT Male TO 9/16"-18 Female *LP*



NP-UF-ZM



NP-UM-ZF



NP-UM-XF



NP-UM-YM



NP-UM-YFI

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

ADAPTERS: STANDARD	
3/8-24" Threaded adapters	
3/8-24" Male	
SZM-XF	3/8"-24 Male TO 7/16"-20 Female, *HP*
SZM-XF-LP	3/8"-24 Male TO 7/16"-20 Female, *LP*
SZM-XM	3/8"-24 Male TO 7/16"-20 Male *HP*
SZM-YFI	3/8"-24 Male TO 9/16"-18 Insert Female *LP*
SZM-YM	3/8"-24 Male TO 9/16"-18 Male, *LP*
SZM-ZF1	3/8"-24 Male TO 3/8"-24" Female, 5/8" Extension *LP*
SZM-ZF2	3/8"-24 Male TO 3/8"-24" Female, 1" Extension, *LP*
SZM-WF	3/8"-24 Male TO 1/2"-20 Female*LP*



SZM-XF



SZM-XF-LP



SZM-XM



SZM-YFI



SZM-YM



SZM-ZF1



SZM-ZF2



SZM-WF

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

<u>3/8"-24" Female</u>	
SZF-XM	3/8"-24 Female TO 7/16"-20 Male *LP*
SZF-XF	3/8"-24Female TO 7/16"-20 Female
SZF-WM	3/8"-24 Female TO 1/2"-20 Male *LP*
SZF-ZF	3/8"-24 Female to 3/8"-24 Female *LP*
SZF-YM	3/8"-24 Female TO 9/16"-18 Male *LP*



SZF-XM



SZF-XF



SZF-WM



SZF-ZF



SZF-YM

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

7/16"-20 Threaded adapters	
SZM-XF	3/8"-24 Male TO 7/16"-20 Female, *HP*
SZM-XF-LP	3/8"-24 Male TO 7/16"-20 Female, *LP*
SZM-XM	3/8"-24 Male TO 7/16"-20 Male *HP*
SZF-XM	3/8"-24 Female TO 7/16"-20 Male *LP*
SYM-XM	9/16"-18 Male TO 7/16"-20 Male,*LP*
SYM-XF	9/16"-18 Male TO 7/16"-20 Female, Extensions 2pcs 1/2" and 1" Length *LP*
SZF-XF	3/8"-24Female TO 7/16"-20 Female



SZM-XF



SZM-XF-LP



SZM-XM



SZF-XM



SYM-XM



SYM-XF



SZF-XF

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

1/2"-20 Threaded adapters

SZM-WF 3/8"-24 Male TO 1/2"-20 Female*LP*

SZF-WM 3/8"-24 Female TO 1/2"-20 Male *LP*

SYM-WM 9/16"-18 Male to 1/2"-20 Female *LP*



SZM-WF



SZF-WM



SYM-WM

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

9/16"-18" Threaded adapters

SYM-XM 9/16"-18 Male TO 7/16"-20 Male,*LP*

SYM-WM 9/16"-18 Male to 1/2"-20 Female *LP*

SYM-XF 9/16"-18 Male TO 7/16"-20 Female, Extensions *LP*
2pcs 1/2" and 1" Length

SYM-YM 9/16"-18 Male TO 9/16"-18 Male *LP*



SYM-XM



SYM-WM



SYM-XF



SYM-YM

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

DUST CAPS SETS

P/N

DS-C	Dust Cap Poseidon (Cyklon) Male & Female
DS-S	Dust Cap Standard (9/16"-18) Male & Female
DS-A	Dust Cap (AGA) Male & Female

DUST PLUGS / DUST CAPS ****Individually****

P/N

DP or DC -C	Dust Plug or Cap for Poseidon (Cyklon)
DP or DC -S	Dust Plug or Cap for Standard(9/16"-18)
DP or DC -A	Dust Plug or Cap for (AGA)



DS-C



DS-S



DS-A

Dust Cap Sets



DC-C



DC-S



DS-A

Dust Caps



DP-C



DP-S



DP-A

Dust Plugs

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

<u>ELBOWS</u>	
<u>P/N</u>	
EL-PC	98° , 9/16"-18 Male TO Poseidon Cyklon Fem
EL-S	98° , 9/16"-18 Male TO Standard (9/16-18") Female
EL-A	98° , 9/16"-18 Male TO AGA Female
EL-ZF2	90° , 3/8"-24 Female to 3/8"-24 Female
EL-VM-ZF	98° , 1/8" NPT Male TO 3/8"-24 Female



EL-PC



EL-S



EL-A



EL-ZF2



EL-VM-ZF

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

FILTER HOUSING

P/N

FH-15 3/8"-24 Male to 9/16"-18 Male w/ 15 Micron Filter

FH-60 3/8"-24 Male to 9/16"-18 Male w/ 60 Micron Filter



FH-15



FH-60

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

HOSE REPAIR KIT

P/N

HRK-S Hose Repair Kit for 5/16"ID hose. 2pc Set

HRK-ZM 5/16" Repair Kit to 3/8"-24 Male

HRK-YFI 5/16" Repair Kit to 9/16"-18 Female Insert



HRK-S



HRK-ZM



HRK-YFI

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

MANIFOLD BLOCKS	
P/N	
MB-Z2	Y Block 9/16"-18 Fem TO (2ports) 3/8"-24Fem
MB-Z3	Y Block 9/16"-18 Fem TO (3ports) 3/8"-24 Fem
MB-Z3 -V1	Manifold Block, (3ports) 3/8"-24 Fem to 1/8"NPT Fem
MB-Z7-Z5	Manifold Block (7ports) 3/8-24" Female (5ports) 3/8-24 Female *Dual Bank*
MB-Z8	Manifold Block (8ports) 3/8-24" Female
MB-U1-Z5	Manifold Block (1) 1/4" NPT Female TO (5ports) 3/8-24 Female
MB-W1-U2-Z3	Manifold Block (1port) 1/2-20" Female TO (2ports)1/4" NPT Female (3ports) 3/8-24 Female
MB-Z6	Manifold Block (6ports) 3/8"-24 Female



MB-Z2



MB-Z3



MB-Z7-Z5



MB-Z8



MB-U1-Z5



MB-W1-U2-Z3



MB-W1-U2-Z3



MB-Z6

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

High Pressure

MB-X2 High Pressure Y Block
(1Port) 7/16-20Male to (2ports)Female



MB-X2

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

Manual Injection Valve

P/N

MIV-1 2 Inlet (ports) 9/16"-18 Male / Converts to 3/8"-24 Female
(1port) 3/8"-24 female on side for Quick Disconnect Male inlet
Valve is interchangeable for Oxygen or Diluent Use.



MIV-1

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

O-RING KITS

1st STAGE O-RINGS

P/N

RK-PSH 1st Stage O-ring Kit HP

RK-PSL 1st Stage O-ring Kit LP

2nd STAGE SWIVEL O-RINGS

OK-C Poseidon Cyklon 2nd Stage OmniSwivel O-Ring Kit

OK-E Poseidon X-Treme 2nd Stage OmniSwivel O-Ring Kit

OK-S Standard 2nd Stage Swivel O-Ring Kit

OK-A AGA 2nd Stage Swivel O-Ring Kit

2nd STAGE OMNISWIVEL TOOL KIT

RK-TK 2nd Stage Swivel Repair Kit. All Tools included

RK-BAR OmniSwivel Repair Bar



OK-C



OK-E



OK-S



OK-A



RK-TK



RK-BAR

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

GSB-Oring Kits	
P/N	
OK-GSB	Gas Switch Block Oring Kit
OKL-GSB	Gas Switch Block Oring Light
SOV Oring Kits	
P/N	
OK-SOV1	Oring Kit for SOV-1
OK-SOV2	Oring Kit for SOV-2
OK-SOV3	Oring Kit for SOV-3
OK-SOV4	Oring Kit for SOV-4
OKL-SOV	OmniSwivel Shutoff valve repair light.



OKL-GSB



OKL-SOV



OKL-MIV

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

SHUTOFF VALVES

P/N

SOV-1	Shutoff Valve (Streamline) 3/4" O.D
SOV-2	Shutoff Valve 1" O.D.
SOV-3	Shutoff Valve 3/8"-24 F to 3/8"-24M (Reversible sleeve)
SOV-4	Shutoff Valve 9/16"-18 M to 9/16"-18M
SOV-ZF-ZF	Shutoff Valve 3/8"-24 F to 3/8"-24F (Reversible sleeve)
SOV-A	Shutoff Valve AGA Female to 9/16"-18M
CV-1	Check Valve 9/16"-18M TO 3/8"-24M 1lb Spring



SOV-1



SOV-2



SOV-3



SOV-4



SOV-ZF-ZF



SOV-A



CV-1

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

SWITCH BLOCKS

P/N

GSB-R Gas Switch Block (Right Hand) 2inlet (1Outlet)

GSB-L Gas Switch Block (Left Hand) 2inlet (1Outlet)



GSB-L



GSB-R

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

QUICK DISCONNECT SETS

P/N

QD-CV-S	QD Female w/ 9/16-18Male.
M/F Fittings	3/8"-24 Male to Male Q.D Check Valve
QD-CV-ZF-S	QD Female w/ 9/16-18Male.
M/F Fittings	3/8"-24 Female to Male Q.D Check Valve
QD-CV-YM-S	QD Female w/ 9/16-18Male.
M/F Fittings	9/16"-18 Male to Male Q.D Check Valve
QD-YF-S	QD Female w/ 9/16-18Male.
M/F Fittings	9/16"-18 Female to Male Q.D.
QD-YM-S	QD Female w/ 9/16-18Male.
M/F Fittings	9/16"-18 Male to Male Q.D
QD-ZM-S	QD Female w/ 9/16-18Male.
M/F Fittings	3/8"-24 Male to Male Q.D
QD-FH60-CV-S	QD Female w/ 9/16-18Male.
M/F Fittings	3/8"-24 Male to Q.D Male. 60Micron Filter with 1lb Check Valve
QD-FH15-CV-S	QD Female w/ 9/16-18Male.
M/F Fittings	3/8"-24 Male to Q.D Male. 15Micron Filter with 1lb Check Valve



QD-CV-S



QD-CV-ZF-S



QD-CV-YM-S



QD-YF-S



QD-YM-S



QD-ZM-S



QD-FH60-CV



QD-FH15-CV

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

QUICK DISCONNECT INDIVIDUALS

P/N

OmniSwivel Quick Disconnect Female

QDF-YM QD Female TO 9/16-18" Male

QDF-ZF QD Female to 3/8"-24 Female

QDF-ZM QD Female to 3/8"-24 Male

QDF-HBT QD Female TO 5/16 Hose Barb



QDF-YM



QDF-ZF



QDF-ZM



QDF-HBT

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632


E-mail: sales@omniswivel.com

OMNISWIVEL



International

OmniSwivel Quick Disconnect, Male Fittings	
QDM-CV	Q.D Male To 3/8"-24" Male check Valve
QDM-CV-ZF	Q.D Male To 3/8"-24" Female check Valve
QDM-CV-YM	Q.D Male To 9/16"-18 Male check Valve
QDM-YF	Q.D. Male To 9/16"-18 Female
QDM-YM	Q.D Male TO 9/16"-18 Male
QDM-ZM	Q.D Male TO 3/8"-24 Male
QDM-60MF-CV	Q.D Male to 3/8"-24 Male. 60Micron Filter with 1lb Check Valve
QDM-15MF-CV	Q.D Male to 3/8"-24 Male. 15Micron Filter with 1lb Check Valve



For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL International

BC Inflator Quick Disconnect, Male Fittings

QD-BC-ZM	QD for inflator valve TO 3/8"-24 Male
QD-BC-YFI	QD for inflator valve TO 9/16"-18 Female In- sert
QDCV-BC-YM	QD for inflator valve male TO 9/16"-18 Male w/ 1 lb. Check Valve
QDCV-BC-ZM	QD for inflator valve male TO 3/8"-24 Male w/ 1 lb. Check Valve
QDCV-BC-ZF	QD for inflator valve male TO 3/8"-24 Female w/ 1 lb. Check Valve



QD-BC-ZM



QD-BC-YFI



QDCV-BC-YM



QDCV-BC-ZM



QDCV-BC-ZF

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

SWIVEL, **OMNISWIVEL (2nd STAGE)**

P/N

SW-PC	Poseidon (Cyklon) 2nd Stage OmniSwivel
SW-PE	Poseidon (X-treme) 2nd Stage OmniSwivel
SW-S	Standard (9/16"-18) 2nd Stage OmniSwivel
SW-A	AGA 2nd Stage OmniSwivel



SW-PC



SW-PE



SW-S



SW-A

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

<u>SWIVEL, PIVOT (1st STAGE)</u>	
<u>Low Pressure</u>	
PS-LP-1	L -SHAPED, LP 3/8"-24 Male TO 3/8"-24 Female,
PS-LP-2	L -SHAPED, LP 3/8"-24 Male TO (2ports) 3/8"-24 Female,
PS-LP-3	L -SHAPED, LP 3/8"-24 Male TO 3/8"-24 Female, Built in 1/4"Extention
PS-LP-4	T -SHAPED, LP (1port) 3/8"-24 Male TO (2ports) 3/8"-24 Female,
PS-LP-5	+ SHAPED, LP (1port) 3/8"-24 Male TO (3ports) 3/8:-24 Female
PS-LP-6	L -SHAPED, LP 9mm Male TO 3/8"-24 Female,
<u>High Pressure</u>	
PS-HP-1	L -SHAPED, HP 7/16"-20 Male TO 7/16"-20 Female

LOW PRESSURE

HIGH PRESSURE



PS-LP-1



PS-LP-2



PS-LP-3



PS-HP-1



PS-LP-4



PS-LP-5



PS-LP-6

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com

OMNISWIVEL



International

<u>PLUGS</u>	
<u>P/N</u>	
PL-Z	Port Plug, 3/8"-24 LP
PL-X	Port Plug, 7/16"-20 HP
PL-W	Port Plug, 1/2"-20 LP
PL-YFI	Port Plug 9/16"-18 Female

<u>TEST PLUGS</u>	
<u>P/N</u>	
TP-PC	Poseidon Cyklon Test Plug
TP-PE	Poseidon Extreme Test Plug
TP-STD	Standard (9/16"-18) Test Plug
TP-A	AGA Test Plug



PL-Z



PL-X



PL-W



PL-YFI



TP-PC



TP-PE



TP-STD



TP-A

For orders or additional information, Please Call:

Phone: 858.748.9442 ext 1

Fax: 858.679.1632

E-mail: sales@omniswivel.com